


Product Code

**9150/R68**

Orifice Assemblies  
06x2028

CLASSIC



### Product use

Accessories for use with the following ASHRAE 34:2019 refrigerants, Class A1:

HCFC (R22)

HFC (R134a, R404A, R407C, R410A, R507)

HFO (R1234ze)

HFO + HFC (R448A, R449A, R450A, R452A, R513A,  
R515A, R515B)

These valves are only sold in the model without the coil (S suffix), with 9 nozzles assembled for an increasing output from 1 to 22 kW with R410A.

### Product details

Dibujo img(9150\_R63.jpg)

N° catálogo 9150/R68

Tipo orificio 06

Potencialidades nominales (1) [l 7,14

Potencialidades nominales (1) [l 9,10

R404A 6,66

R507 6,66

R407C 9,30

R410A 10,92

R1234ze 5,61

|                             |            |
|-----------------------------|------------|
| R448A                       | 8,90       |
| R449A                       | 8,73       |
| R450A                       | 6,27       |
| R452A                       | 6,90       |
| R513A                       | 6,06       |
| R515A                       | 5,39       |
| R515B                       | 5,37       |
| <b>Paquete de n° piezas</b> | <b>180</b> |

## Notes

(1) Las potencialidades nominales se refieren a:

- Temperatura de evaporación  $T_{evap} = + 5 \text{ }^{\circ}\text{C}$

- Temperatura de condensación  $T_{cond} = + 32 \text{ }^{\circ}\text{C}$

- Temperatura del líquido en la entrada de la válvula  $T_{liq} = + 28 \text{ }^{\circ}\text{C}$